

Eco-Design-Regulation EU 2016/2281

Requirements for the documentation
(Appendix 2 / Chapter 5 / Table 15)

Product data

Unit	xtend.k/t	160 W
Type of liquefaction		W
Refrigerant/GWP		R410a / 2088

	Symbol	Value	Unit
Operating temperature	t	7	°C
Seasonal energy performance ratio	SEPR	7,09	---
Annual energy consumption	Q	14.441	kWh/a
Reduction factor C _{dc} of chillers	C _{dc}	---	---
Power regulation	---	variabel	---

Parameter at full load and reference temperature at assessment point A

Rated refrigeration capacity	P _A	13,81	kW
Rated power consumption	D _A	3,39	kW
Energy efficiency ratio	EER _{DC,A}	4,07	---

Parameter at assessment point B

Declared cooling capacity	P _B	12,89	kW
Declared power consumption	D _B	2,40	kW
Declared energy efficiency ratio	EER _{DC,B}	5,37	---

Parameter at assessment point C

Declared cooling capacity	P _C	11,97	kW
Declared power consumption	D _C	1,67	kW
Declared energy efficiency ratio	EER _{DC,C}	7,16	---

Parameter at assessment point D

Declared cooling capacity	P _D	11,05	kW
Declared power consumption	D _D	1,39	kW
Declared energy efficiency ratio	EER _{DC,D}	7,93	---