

Eco-Design-Regulation EU 2016/2281

Requirements for the documentation
(Appendix 2 / Chapter 5 / Table 15)

Product data

Unit	xtend.k/t	1200 A
Type of liquefaction	L	
Refrigerant/GWP	R410a	/ 2088

	Symbol	Value	Unit
Operating temperature	t	7	°C
Seasonal energy performance ratio	SEPR	5,86	---
Annual energy consumption	Q	112.504	kWh/a
Reduction factor C _{dc} of chillers	C _{dc}	---	---
Power regulation	---	variabel	---

Parameter at full load and reference temperature at assessment point A

Rated refrigeration capacity	P _A	89,00	kW
Rated power consumption	D _A	35,03	kW
Energy efficiency ratio	EER _{DC,A}	2,54	---

Parameter at assessment point B

Declared cooling capacity	P _B	83,06	kW
Declared power consumption	D _B	21,51	kW
Declared energy efficiency ratio	EER _{DC,B}	3,86	---

Parameter at assessment point C

Declared cooling capacity	P _C	77,13	kW
Declared power consumption	D _C	14,35	kW
Declared energy efficiency ratio	EER _{DC,C}	5,38	---

Parameter at assessment point D

Declared cooling capacity	P _D	71,20	kW
Declared power consumption	D _D	9,15	kW
Declared energy efficiency ratio	EER _{DC,D}	7,78	---