

Eco-Design-Regulation EU 2016/2281

Requirements for the documentation
(Appendix 2 / Chapter 5 / Table 15)

Product data

Unit	Xtend 2800
Type of liquefaction	W
Refrigerant/GWP	R513A / 631

	Symbol	Value	Unit
Operating temperature	t	7	°C
Seasonal energy performance ratio	SEPR	6,98	---
Annual energy consumption	Q	202.285,74	kWh/a
Reduction factor C _{dc} of chillers	C _{dc}	0,9	---
Power regulation	---	fest	---

Parameter at full load and reference temperature at assessment point A

Rated refrigeration capacity	P _A	190,60	kW
Rated power consumption	D _A	40,39	kW
Energy efficiency ratio	EER _{DC,A}	4,72	---

Parameter at assessment point B

Declared cooling capacity	P _B	206,00	kW
Declared power consumption	D _B	35,29	kW
Declared energy efficiency ratio	EER _{DC,B}	5,75	---

Parameter at assessment point C

Declared cooling capacity	P _C	219,00	kW
Declared power consumption	D _C	30,69	kW
Declared energy efficiency ratio	EER _{DC,C}	6,91	---

Parameter at assessment point D

Declared cooling capacity	P _D	226,00	kW
Declared power consumption	D _D	28,19	kW
Declared energy efficiency ratio	EER _{DC,D}	7,65	---