

Eco-Design-Regulation EU 2016/2281

Requirements for the documentation
(Appendix 2 / Chapter 5 / Table 15)

Product data

Unit	Xtend 3700
Type of liquefaction	W
Refrigerant/GWP	R513A / 631

	Symbol	Value	Unit
Operating temperature	t	7	°C
Seasonal energy performance ratio	SEPR	7,23	---
Annual energy consumption	Q	272.585,37	kWh/a
Reduction factor C _{dc} of chillers	C _{dc}	0,9	---
Power regulation	---	fest	---

Parameter at full load and reference temperature at assessment point A

Rated refrigeration capacity	P _A	266,00	kW
Rated power consumption	D _A	56,42	kW
Energy efficiency ratio	EER _{DC,A}	4,71	---

Parameter at assessment point B

Declared cooling capacity	P _B	288,00	kW
Declared power consumption	D _B	48,42	kW
Declared energy efficiency ratio	EER _{DC,B}	5,85	---

Parameter at assessment point C

Declared cooling capacity	P _C	307,00	kW
Declared power consumption	D _C	41,42	kW
Declared energy efficiency ratio	EER _{DC,C}	7,17	---

Parameter at assessment point D

Declared cooling capacity	P _D	317,00	kW
Declared power consumption	D _D	37,92	kW
Declared energy efficiency ratio	EER _{DC,D}	7,97	---